



Tecnosome Lamps

<i>Description</i>	<i>Equivalence Code</i>	<i>Code</i>
LAMPADA WIP 160W	160-R-108/6.8	01565160
LAMPADA IPS 180 - 200W 0.3	180-R-54/3.8	01564182
LAMPADA TX TURBO WAVE 180-200W 2.3	200-R-134/9.1	01565205
LAMPADA WIP 200W 2.3	200-R-127/9.1	01565204
PREMIUM PRO TAN FLEX 200-225W 3.6	200-R-187/11.3	01565210
XL PERFORMANCE 250W 3.6	225-R-191/11.3	01565212

Mix UV h collagen

LAMPADA HEAL TH SUN 160W	160-R-69/6.0	01565506
LAMPADA HEAL TH SUN WAVE 180-200W	200-R-111/14.2	01565500

Lampade only collagen

LAMPADA COLLAGEN 25W	01566025
LAMPADA COLLAGEN 100W	01566100
LAMPADA COLLAGEN 160W	01566160
LAMPADA COLLAGEN 180W	01566180

Starter

STARTER PHILIPS S10 4-65W	R01634010
STARTER PHILIPS S12 BODY TONE 115-140W	R01634012
STARTER PHILIPS BODY TONE 180-225W	R01634019

SOLARIUM EU 0,3



SOLARIUM 0,3 25-160W

<i>Description</i>	<i>Tecnosole code</i>	<i>Code</i>	<i>Watt</i>	<i>Paíable</i>	<i>Length mm</i>	<i>UVA Flux W/m2</i>	<i>Houís of use</i>	<i>Ííad. UVA mW/cm2</i>	<i>UVB/UV A íatio %</i>	<i>UV-Code</i>	
Solaíium Plus 25W	01563053	30781	25	no	520	7	800	7	0.9	5-0-11/3,3	
Solaíium Plus R 80W	01563081	30081	80	si	1500	22	800	18	0.8	80-R-27/2,4	
Solaíium Supeí Plus 100W	01563102	730112	100	no	1760	28	800	10	1.1	100-0-18/3,0	
Solaíium Supeí Plus 100W	01563104	30701	100	si	1760	31	800	21	0.6	100-R-27/2,7	
Solaíium Plus R 120W-200 cm	01563122	30084	120	si	2000	33	800	20	0.9	120-R-31/2,7	
Solaíium Supeí Píofi R 160W	01563165	30088	160	si	1760	38	800	24	0.8	160-R-36/2,4	

SOLARIUM RED 0,3 100-180W (uv h collagen) NEW

<i>Description</i>	<i>Tecnosole code</i>	<i>Code</i>	<i>Watt</i>	<i>Paíable</i>	<i>Length mm</i>	<i>UVA Flux W/m2</i>	<i>Houís of use</i>	<i>Ííad. UVA mW/cm2</i>	<i>UVB/UV A íatio %</i>	<i>UV-Code</i>	
Solaíium Plus RED R 100W	01563610	32917	100	si	1760	25	800	18	0.9	100-R-28/2,9	
Solaíium Supeí Píofi RED R 160W 174cm	01563615	32918	160	si	1740	33	800	24	0.7	160-R-33/2,3	
Solaíium Supeí Píofi RED R 160W	01563616	32919	160	si	1760	33	800	24	0.7	160-R-33/2,4	
Solaíium Supeí Píofi RED R 180W 190cm	01563625	32920	180	si	1900	37	800	23	0.8	180-R-33/2,3	
Solaíium Supeí Píofi RED R 180w	01563626	32921	180	si	2000	37	800	22	0.8	180-R-33/2,4	

SOLARIUM GOLD 0,3 100-180W NEW

<i>Description</i>	<i>Tecnosole code</i>	<i>Code</i>	<i>Watt</i>	<i>Paíable</i>	<i>Length mm</i>	<i>UVA Flux W/m2</i>	<i>Houís of use</i>	<i>Ííad. UVA mW/cm2</i>	<i>UVB/UV A íatio %</i>	<i>UV-Code</i>	
Solaíium Plus GOLD R 100W	01563310	32922	100	si	1760	30	1000	22	0.5	100-R-25/1,8	
Solaíium Supeí Píofi GOLD R 160W 175cm	01563315	32923	160	si	1750	36	1000	26	0.5	160-R-31/1,8	
Solaíium Supeí Píofi GOLD R 160W	01563316	32924	160	si	1760	39	1000	28	0.5	160-R-30/1,7	
Solaíium Supeí Píofi GOLD R 180W 190cm	01563325	32925	180	si	1900	39	1000	28	0.5	180-R-32/2,0	
Solaíium Supeí Píofi GOLD R 180w	01563326	32926	180	si	2000	44	1000	28	0.5	180-R-30/1,8	



BELLARIUM

BELLARIUM 25-225W

<i>Descrição</i>	<i>Tecnosole code</i>	<i>Code</i>	<i>Watt</i>	<i>Paíable</i>	<i>Length mm</i>	<i>UVA Flux W/m2</i>	<i>Houís of use</i>	<i>Ííad. UVA mW/cm2</i>	<i>UVB/UV A íatio %</i>	<i>UV-Code</i>	
Bellaiium 25W	01567050	30093	25	no	530	6	500	7	2.9	25-O-39/9,2	
Bellaiium S 100W	01567100	761102	100	no	1760	28	800	10	2.4	100-O-31/6,8	
Bellaiium Xtieme Ultíalux R 100W	01567103	30706	100	si	1760	28	800	19	3	100-R-90/9,6	
Bellaiium Xtieme Ultíalux R 120W 200cm	01567121	30097	120	si	2000	35	800	20	3	120-R-94/9,3	
Bellaiium R 140W	01567140	30098	140	si	1500	25	800	21	1.5	140-R-68/5,1	
Bellaiium R 160W	01567166	32949	160	si	1760	34	800	25	0.7	160-R-44/3,4	
Bellaiium Xtieme R 160W	01567165	32950	160	si	1760	34	800	25	1.6	160-R-86/5,9	
Bellaiium Xtieme Ultíalux R 160W	01567162	30443	160	si	1760	32	800	23	3.3	160-R-136/10,2	
Bellaiium Xtieme Ultíalux LM R 160W	01567164	30106	160	si	1760	44	1000	31	3.3	160-R-151/10,0	
Bellaiium Xtieme Ultíalux R 180W 190cm	01567180	30340	180	si	1900	37	800	24	3.3	180-R-155/10,6	
Bellaiium R 180W	01567188	32951	180	si	2000	42	800	25	0.7	180-R-44/3,4	
Bellaiium Xtieme R 180W	01567187	32952	180	si	2000	37	800	22	2	180-R-88/6,6	
Bellaiium Xtieme Ultíalux R 180W	01567182	30103	180	si	2000	38	800	23	2.9	180-R-127/9,1	
Bellaiium Xtieme LM R 180W	01567183	30104	180	si	2000	47	900	29	3.4	180-R-151/10,3	
Bellaiium LM R 225W	01567226	31440	225	si	2000	55	800	34	2.2	225-R-130/7,4	
Bellaiium Xtieme LM R 225W	01567225	30766	225	si	2000	53	800	33	3.4	225-R-166/10,6	



BELLARIUM RED 25-180W (uv h collagen) NEW

Descríption	Tecnosole code	Code	Watt	Paíable	Length mm	UVA Flux W/m2	Houís of use	Ííad. UVA mW/cm2	UVB/UV A íatio %	UV-Code	
Bellaíium RED 25W	01567610	32927	25	no	520	5	500	5	1.7	25-O -14/6,3	
Bellaíium Xtíeme RED R 100W	01567611	32928	100	si	1760	28	800	19	2.0	100-R-68/6,6	
Bellaíium RED R 160W - 174cm	01567615	32929	160	si	1740	34	800	25	1.2	160-R-66/4,8	
Bellaíium Xtíeme RED R 160W - 174cm	01567616	32930	160	si	1740	33	800	24	2.5	160-R-116/7,7	
Bellaíium RED R 160W	01567617	32931	160	si	1760	34	800	25	1.2	160-R-65/4,7	
Bellaíium Xtíeme RED R 160W	01567618	32932	160	si	1760	33	800	24	2.5	160-R-114/7,6	
Bellaíium RED R 180W 1.9M	01567635	32933	180	si	1900	38	800	24	1.3	180-R-69/4,8	
Bellaíium Xtíeme RED R 180W R-190cm	01567636	32934	180	si	1900	38	800	24	2.6	180-R-120/7,8	
Bellaíium RED 180W	01567637	32935	180	si	2000	40	800	24	1.3	180-R-68/4,7	
Bellaíium Xtíeme RED R 180W	01567638	32936	180	si	2000	40	800	24	2.7	180-R-117/7,8	

BELLARIUM GOLD 25-200W NEW

Descríption	Tecnosole code	Code	Watt	Paíable	Length mm	UVA Flux W/m2	Houis of usc	Ííad. UVA mW/cm2	UVB/UV A íatio %	UV-Code	
Bellaíium Xtíeme GOLD R 100W	01567310	32937	100	si	1760	32	1000	22	1.5	100-R-63/4,9	
Bellaíium GOLD R 160W	01567315	32938	160	si	1750	37	1000	27	0.9	160-R-57/3,6	
Bellaíium Xtíeme Ultíalux GOLD R 160W	01567316	32939	160	si	1750	37	1000	27	2.6	160-R-141/8,2	
Bellaíium GOLD R 160W	01567317	32940	160	si	1760	39	1000	28	0.8	160-R-57/3,6	
Bellaíium Plus GOLD R 160W	01567318	32941	160	si	1760	37	1000	27	1.5	160-R-78/5,2	
Bellaíium Xtíeme GOLD R 160W	01567319	32942	160	si	1760	40	1000	29	2.0	160-R-116/6,1	
Bellaíium Xtíeme Ultíalux GOLD R 160W	01567320	32943	160	si	1760	40	1000	29	2.5	160-R-142/8,2	
Bellaíium GOLD R 180W	01567335	32944	180	si	1900	42	1000	28	0.9	180-R-60/3,6	
Bellaíium Xtíeme Ultíalux GOLD R 180W	01567336	32945	1180	si	1900	42	1000	28	2.7	180-R-141/8,1	
Bellaíium GOLD R 180W	01567337	32946	180	si	2000	42	1000	27	0.9	180-R-60/3,7	
Bellaíium Xtíeme GOLD R 180W	01567338	32947	180	si	2000	44	1000	26	2.1	180-R-115/5,4	
Bellaíium Xtíeme Ultíalux GOLD R 200W	01567345	32948	200	si	2000	42	1000	27	2.9	200-R-146/9,0	



BELLARIUM

COSMEDICO RUBINO (uv h collagen)

Description	Tecnosole code	Code	Watt	Paíable	Length mm	UVA Flux W/m2	Houís of use	lííad. UVA mW/cm2	UVB/UV A íatio %	UV-Code	Pííce	EU 0,3
Rubino 15W 0,3	01563505	31369	15	no	288		500		2.1	15-O-11/7,4	12,60 C	
Rubino 25W 0,3	01563525	31360	25	no	520		500		1.7	25-O-15/6,3	15,40 C	
Rubino 100W 0,3 R27	01563550	31286	100	si	1760		800		0.8	100-R-27/2,7	26,40 C	
Rubino 160W 0,3 R31	01563560	31287	160	si	1760		800		0.7	160-R-31/3,1	27,60 C	
Rubino 180W 0,3 R36	01563580	31289	180	si	2000		800		0.8	180-R-36/3,2	C6,60 C	
Rubino 180W 0,3 R33	01563581	31592	180	si	1900		650		0.7	180-R-33/2,9	C6,60 C	
Rubino 100W R72	01566556	32765	100	si	1760		800		4.1	100-R-72/12	26,40 C	
Rubino 120W R45	01566557	31853	120	si	1900		650		1.5	120-R-45/5,6	C5,00 C	
Rubino 160W R100	01566565	31288	160	si	1760		800		3.8	160-R-100/12,3	C0,20 C	
Rubino 160W R69	01566566	31590	160	si	1760		650		1.6	160-R-69/6	C0,20 C	
Rubino 180W R105	01566585	31383	180	si	2000		800		4.5	180-R-105/14	C6,60 C	
Rubino 180W R63	01566584	31593	180	si	1900		650		1.7	180-R-63/6,1	C6,60 C	
Rubino 180W R65	01566586	31591	180	si	2000		650		1.7	180-R-65/6,3	C6,60 C	
Rubino 250-500W GY9,5	01561521	31787	250-500	si			650				121,20 C	



SUPERCRYSTAL (alta
píessione)

<i>Descríption</i>	<i>Tecnosole code</i>	<i>Code</i>	<i>Watt</i>	<i>V</i>	<i>Houís Of use</i>		<i>Base</i>	<i>Bulb diameterí</i>	<i>Lenght mm</i>	<i>UV-Code</i>	
SupeíCíystal Hi Tec 400W R7s	01560401	798501	400	230	800		R7s	14.5	106		
SupeíCíystal Hi Tec 300-500W SE	01561501	798541	300-500	230	800		GY 9,5	14	110		
SupeíCíystal Hi Tec400-600W SE	01561601	30074	400-600	230	800		GY 9,5	16.3	110		
SupeíCíystal Hi Tec800W SE	01561801	30073	600-800	230	800		GY 9,5	25	106		
N250G Vaíius zoccolo Vaíius	01561350	22027	250	230	1000		G12 <i>Special</i>		70		
Cosmedico N250 GY 9,5	01561250	24080	200-250	230	800		GY 9,5	15	68		
Cosmedico N800 GY 9,5	01561810	24172	800-1000	230	800		GY 9,5	18,5	115		
Cosmedico N1000 GYX 9,5 Lungo	01561813	24171	1000	230	800		GY 9,5 <i>Lungo</i>	24,5	129		
Cosmedico N1200-1500 GY 9,5	01561814	24177	1000-1200	230	800		GY 9,5	24,5	132		
Cosmedico N500 R7S	01560500	24075	400-600	230	800		R7S	16,3	105		
Cosmedico N800 R7S	01560800	24179	800	230	800		R7S	18,5	115		
Cosmedico N400L C/Filo	01560405	24072	300-500	230	800		C/Filo	13,5	114		
Cosmedico N1000L C/Filo	01560980	24170	1000	230	800		C/Filo	24,5	138		
Cosmedico N2000L C/Filo	01560990	24270	1800-2000	230	800		C/Filo	28	171		
Cosmedico L400 R7S	01560402	23049	400	230	800		R7S	16,9	118		